

**NOTICE: ANNOUNCEMENT OF AVAILABILITY OF A DRAFT  
WASTEWATER PERMIT MODIFICATION**

PERMIT NO.: WA-002449-0

APPLICANT: City of Everett Utilities Division  
3200 Cedar Street  
Everett, WA 98201

SITE LOCATION: City of Everett Water Pollution Control Facility  
4027 – 4<sup>th</sup> Street SE  
Everett, Snohomish County

The City of Everett has applied for a National Pollutant Discharge Elimination System permit modification in accordance with the provisions of Chapter 90.48 Revised Code of Washington, Chapter 173-220 Washington Administrative Code, and the Federal Clean Water Act. The proposed modification consists of an extension of interim limits for discharge from the Trickling Filter/Solids Contact (TF/SC) system to the Snohomish River (Outfall #025), provisions for use of Outfall #025 for maintenance flushing, and inclusion of the recently approved mixing zone dilution factors for the Port Gardner Bay outfall.

A tentative determination has been made on the effluent limitations and special permit conditions that will prevent and control pollution. A final determination will not be made until all timely comments received in response to this notice have been evaluated.

**PUBLIC COMMENT AND INFORMATION**

A tentative determination has been made on the above special permit conditions which are intended to prevent and control pollution. A final determination will not be made until all timely comments received in response to this notice have been evaluated.

**PUBLIC COMMENT AND INFORMATION**

The draft permit and statement of basis may be viewed at the Department of Ecology (Department) website: [http://www.ecy.wa.gov/programs/wq/permits/northwest\\_permits.html](http://www.ecy.wa.gov/programs/wq/permits/northwest_permits.html) The application, fact sheet, proposed permit, and other related documents are also available at the Department's Northwest Regional Office for inspection and copying between the hours of 8 a.m. and 4:30 p.m., weekdays. To obtain a copy or to arrange to view copies at the Northwest Regional Office, please call Sally Perkins at (425) 649-7190, e-mail [sper461@ecy.wa.gov](mailto:sper461@ecy.wa.gov), or write to the address below.

Interested persons are invited to submit written comments regarding the proposed permit modification. All comments must be submitted within 30 days after publication of this notice to be considered for the final determination. Comments should be sent to:

Permit Coordinator  
Department of Ecology  
Northwest Regional Office  
3190 - 160<sup>th</sup> Avenue SE  
Bellevue, WA 98008-5452

E-mail comments should be sent to [tmil461@ecy.wa.gov](mailto:tmil461@ecy.wa.gov).

Any interested party may request a public hearing on the proposed permit modification within 30 days of the publication date of this notice. The request for a hearing shall state the interest of the party and the reasons why a hearing is necessary. The request should be sent to the above address. The Department will hold a hearing if it determines that there is significant public interest. If a hearing is to be held, public notice will be published at least 30 days in advance of the hearing date. Any party responding to this notice with comments will be mailed a copy of a hearing public notice. Please bring this public notice to the attention of persons who you know would be interested in this matter. The Department is an equal opportunity agency. If you have a special accommodation needs, please contact Tricia Miller at 425-649-7201, [tmil461@ecy.wa.gov](mailto:tmil461@ecy.wa.gov), or 1-800-833-6388 (TTY).

Date of Publication: January 13, 2005 (Public Notice of Modification)